BioinGentech
Biotechnology

PCR Kit Quality Control Certificate

Pathogen
Intestinal flukes

Table 1: Concentration in ng/µL of the sample control and its dilutions.

	1	2	3	4	5	6	7	8
	$1x10^{-1}$	$1x10^{-2}$	$1x10^{-3}$	$1x10^{-4}$	$1x10^{-5}$	$1x10^{-6}$	$1x10^{-7}$	$1x10^{-8}$
N° of copies	$1x10^{8}$	$1x10^{7}$	$1x10^{6}$	$1x10^{5}$	$1x10^{4}$	$1x10^{3}$	$1x10^{2}$	$1x10^{1}$




Figure 1: Logarithmic amplification curves for Intestinal flukes




Figure 2: Standard amplification curves for Intestinal flukes




Figure 3: Standard curve for Intestinal flukes

Summary of Ct values

Table 2: Ct values obtained for each dilution of the sample control.

Target Name	Sample Name	Reporter	Ct values
Intestinal flukes	**1**	**FAM**	**13,83**
	2	**FAM**	**16,93**
	3	**FAM**	**19,35**
	4	**FAM**	**22,65**
	5	**FAM**	**26,01**
	6	**FAM**	**28,63**
	7	**FAM**	**31,75**
	8	**FAM**	**-**
	Negative Control	**FAM**	Undetermined

Certificate validated by:

BQ. Benjamín Catalán - BQ. Rodrigo Iturra Barra

Quality Control Managers